



MATERIAL SAFETY DATA SHEET

SikaLastomer ® 68

HMIS

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	B

1. Product And Company Identification

Supplier

Sika Corporation
30800 Stephenson Highway
Madison Heights, MI 48071 U.S.A.

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikaindustry.com

Manufacturer

Sika Corporation
30800 Stephenson Highway
Madison Heights, MI 48071 U.S.A.

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikaindustry.com

Supplier Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Manufacturer Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Issue Date: 06/15/2004

Product Name: SikaLastomer ® 68
CAS Number: Not Established
Chemical Family: Ethylene Propylene Copolymer Tape
MSDS Number: 3227

2. Composition/Information On Ingredients

This products contains no hazardous ingredients when evaluated by criteria established in the OSHA Hazard Communication Standard (29 CFR 1910.1200).

3. Hazards Identification

Eye Hazards

Eye contact unlikely in normal use but material may act as a mechanical irritant.

Skin Hazards

None expected when handling product at room temperature.

Ingestion Hazards

Not normally ingested in industrial use. If ingested may irritate gastrointestinal system.

Inhalation Hazards

No inhalation hazards are expected under normal use.

MATERIAL SAFETY DATA SHEET

SikaLastomer ® 68

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

None expected. In accordance with good hygienic practice, wash with soap and water after use.

Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Seek medical attention immediately.

Inhalation

Treat any irritation symptomatically. Obtain medical attention if irritation develops and persists.

5. Fire Fighting Measures

Flash Point: 470 °F 243 °C

Lower Explosive Limit: N/AP

Upper Explosive Limit: N/AP

Fire And Explosion Hazards

None known

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Pick up product as a solid. Use appropriate personal protective equipment (PPE). If not reused or recycled, dispose of in accordance with Section 13 of this MSDS.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Wash thoroughly with soap and water after handling. Use good personal hygiene.

Handling Precautions

Condition to > 60F before using.

Storage Precautions

Store in a cool, dry, area at > 40F.

8. Exposure Controls/Personal Protection

Eye/Face Protection

Safety glasses with side shields or goggles recommended.

Skin Protection

Gloves, lab coat and/or other work clothing to minimize skin exposure.

Respiratory Protection

None normally expected.

MATERIAL SAFETY DATA SHEET

SikaLastomer ® 68

9. Physical And Chemical Properties

Appearance

Black mastic (Solid).

Odor

No odor

Chemical Type: Mixture

Physical State: Solid

Specific Gravity: 1.20

Solubility: Insoluble in water

VOC Content: 0.04 pounds/gallon

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

None known

Incompatible Materials

Strong Oxidizers

Hazardous Decomposition Products

Carbon Dioxide, Carbon Monoxide, and Hydrocarbons upon combustion.

Conditions To Avoid (Polymerization)

None known

11. Toxicological Information

Miscellaneous Toxicological Information

None known

Conditions Aggravated By Exposure

None known

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

Proper Shipping Name

Not regulated by the USDOT.

15. Regulatory Information

U.S. Regulatory Information

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

MATERIAL SAFETY DATA SHEET

SikaLastomer ® 68

15. Regulatory Information - Continued

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

16. Other Information

HMIS Rating

Health: 1

Fire: 1

Reactivity: 0

Personal Protection: B

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 201 -933-8800

This MSDS Supercedes A Previous MSDS Dated: 06/15/2004

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

Sika Corporation

Printed Using MSDS Generator™ 2000